EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S49	1	S48 and ((encrypt\$3 cipher\$3 scrambl\$3) near2 (random number seed nonce) and (compar\$3 match \$3) near2 (random number seed nonce))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:48
S48	1016	713/1,2,300,323,340,340.ccls. and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:47
S47	16	726/34-36.ccls. and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:44
S46	12172	(((detect\$3 determin\$3 inspect\$3 monitor\$3 check\$3) near3 (computer terminal node apparatus terminal device system) with ((remov \$3 un\$plug\$4 unplug\$4 disconnect \$4 ((switch turn) adj "off") state) near3 (power unpower))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:43
S45	0	((((detect\$3 determin\$3 inspect\$3 monitor\$3) near3 (computer terminal node apparatus terminal device) with ((remov\$3 un\$plug\$4 unplug\$4 disconnect\$4 ((switch turn) adj "off") state) near3 (power unpower))) and ((monitor\$3 inspect\$3 examin\$3 check\$3 supervis\$3) with (security validat\$3 authenticat\$3 removal status configuration) near2 (component device terminal apparatus node computer pheripheral)) and ((encrypt\$3 cipher \$3 scrambl\$3) near2 (random number seed nonce) and (compar\$3 match\$3) near2 (random number seed nonce)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:39
S44	50	726/34-36.ccls. and ((measur\$3 detect\$3 check\$3 determin\$3 inspect \$3 judg\$3 supervis\$4) near2 (security authenticat\$3 validat\$3 verificat\$4 removal unplug\$3 remov \$4 disconnect\$4 un\$plug\$3) with (power supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:31

S43	8	((monitor\$3 check\$3 examin\$4 inspect\$3) near1 (security validation verification verif\$4 validat\$3) same (((remov\$3 un\$plug\$4 unplug\$4 disconnect\$4 ((switch turn) adj "off") state) near3 (power unpower)) adj1 (device computer terminal node apparatus unit component)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:30
S42	42	"714"/\$.ccls. and ((detect\$3 determin \$3 inspect\$3 monitor\$3) near3 (computer terminal node apparatus terminal device) with ((remov\$3 un \$plug\$4 unplug\$4 disconnect\$4 ((switch turn) adj "off") state) near3 (power unpower))) and ((monitor\$3 inspect\$3 examin\$3 check\$3 supervis\$3) with (security validat\$3 authenticat\$3 removal status configuration) near2 (component device terminal apparatus node computer pheripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:28
S41	71	"340"/\$.ccls. and ((detect\$3 determin \$3 inspect\$3 monitor\$3) near3 (computer terminal node apparatus terminal device) with ((remov\$3 un \$plug\$4 unplug\$4 disconnect\$4 ((switch turn) adj "off") state) near3 (power unpower))) and ((monitor\$3 inspect\$3 examin\$3 check\$3 supervis\$3) with (security validat\$3 authenticat\$3 removal status configuration) near2 (component device terminal apparatus node computer pheripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:28
S40	81	"713"/\$.ccls. and ((detect\$3 determin \$3 inspect\$3 monitor\$3) near3 (computer terminal node apparatus terminal device) with ((remov\$3 un \$plug\$4 unplug\$4 disconnect\$4 ((switch turn) adj "off") state) near3 (power unpower))) and ((monitor\$3 inspect\$3 examin\$3 check\$3 supervis\$3) with (security validat\$3 authenticat\$3 removal status configuration) near2 (component device terminal apparatus node computer pheripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:28
S39	71	"340"/\$.ccls. and ((detect\$3 determin \$3 inspect\$3 monitor\$3) near3 (computer terminal node apparatus terminal device) with ((remov\$3 un \$plug\$4 unplug\$4 disconnect\$4 ((switch turn) adj "off") state) near3 (power unpower))) and ((monitor\$3 inspect\$3 examin\$3 check\$3 supervis\$3) with (security validat\$3 authenticat\$3 removal status configuration) near2 (component device terminal apparatus node computer pheripheral))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:28

S38	27	726/34-36.ccls. and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:27
S36	49	713/1,2,300,323,340,340.ccls. and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:27
S35	273	713/1,2,300,323,340,340.ccls. and ((measur\$3 detect\$3 check\$3 determin\$3 inspect\$3 judg\$3 supervis\$4) near2 (security authenticat\$3 validat\$3 verificat\$4 removal unplug\$3 remov\$4 disconnect\$4 un\$plug\$3) with (power supply))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:27
S34	49	713/1,2,300,323,340,340.ccls. and ((security maintainace authenticat\$3 validat\$3 verificat\$4) with (remov\$3 unplug\$4 disconnect\$4 ((switch turn) adj (off))) near3 (power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:26
S33	27	726/34-36.ccls. and ((security maintainace authenticat\$3 validat\$3 verificat\$4) with (remov\$3 unplug\$4 disconnect\$4 ((switch turn) adj (off))) near3 (power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:26
S32	1236	((security maintainace authenticat\$3 validat\$3 verificat\$4) with (remov\$3 unplug\$4 disconnect\$4 ((switch turn) adj (off))) near3 (power))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:26
S31	29	((monitor\$3 inspect\$3 examin\$3 check\$3 supervis\$3) with ((network communication) near (connection link))) same (detect\$3 check\$3 determin\$3) with ((remov\$3 un\$plug\$4 unplug\$4 disconnect\$4 ((switch turn) adj "off") state) near3 (power unpower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/07/12 16:26

7/12/2011 6:38:45 PM

 $\label{locuments} \textbf{C:} \label{locuments} \ \textbf{C:} \$